## WE CLAIM:

- 1 1. A method of coagulating menstrual flow in humans and other
- 2 animals comprising contacting menstrual flow with at least one
- 3 lectin capable of agglutinating at least one of the constituents
- 4 of said menstrual flow.
- 1 2. The method of Claim 1 wherein said lectin is capable of
- 2 agglutinating erythrocytes, leukocytes, and/or tissue fragments
- 3 comprising said menstrual flow.
  - 3. The method of Claim 1 wherein said lectin is selected from the group consisting of WGA, SBA, ConA, and LCA.
  - 4. The method of Claim 1 wherein said lectin is administered intravaginally.
  - 5. The method of Claim 4 wherein said lectin is in neat form.
- 1 6. The method of Claim 4 wherein said lectin is contained in a
- vehicle comprising excipients or adjuvants.
- 1 7. The method of Claim 4 wherein said lectins are contained in
- 2 an absorbent device.

- 1 8. The method of Claim 4 wherein said lectins are contained in
- 2 a non-absorbent device.
- 1 9. The method of Claim 1 wherein said lectins are applied
- 2 extravaginally.

12

- 1 10. The method of Claim 9 wherein said lectins are in neat form.
- 1 11. The method of Claim 9 wherein said lectins are contained in
- 2 a vehicle comprising excipients or adjuvants.
  - 12. The method of Claim 9 wherein said lectins are contained in an absorbent device.
  - 13. The method of Claim 9 wherein said lectins are contained in a non-absorbent device.
  - 14. A method of preventing toxic shock syndrome in humans caused
- 2 by pathogenic microorganisms which comprises administering to a
- 3 human in danger of infection with a pathogenic microorganism
- 4 causing toxic shock syndrome at least one lectin capable of
- 5 diminishing the infective capability of said microorganism in an
- 6 amount effective to diminish the infective capability of said
- 7 microorganism.

- 1 The method of Claim 14 wherein said microorganism is a
- 2 strain of Staphylococcus aureus.
- The method of Claim 14 wherein said lectins are selected 1
- 2 from the group consisting of WGA, SBA, ConA, and LIP.
- The method of Claim 14 wherein said lectin is administered 1
- 2 intravaginally.
- 1 18. The method of Claim 14 wherein said lectin is in neat form.
  - The method of Claim 14 wherein said lectin is contained in a vehicle comprising excipients or adjuvants.
    - The method of Claim 14 wherein said lectin is incorporated in an absorbent device.
- The method of Claim 20 wherein said absorbent device is a 2 tampon.
- 1 The method of Claim 20 wherein said absorbent device is
- applied extravaginally. 2